

1. Identification

Product identifier	SCRUBS® In-A-Bucket HVAC80
i roduct identilier	
Part Numbers Recommended use	4366-24, 4366-87 A cleaner wipe designed for removing dirt and grease from hands.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier	/Distributor information
Distributor	
Company name	Nu-Calgon Wholesaler, Inc.
Address	2611 Schuetz Road
	St. Louis, MO 63043
Country	(U.S.A.)
	Tel: 800-554-5499 / 314-469-7000
In Case of Emergency	1-800-535-5053 (Infotrac)
2. Hazard(s) identification	
Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Not available.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Distillates Petroleum Hydrotreated Light		64742-47-8	1 - 3
Sodium Dodecanol Sulfosuccinate		577-11-7	0.5 - 1
Dimethyl Glutarate		1119-40-0	< 0.5
D-limonene		5989-27-5	< 0.5
Phenoxyethanol		122-99-6	< 0.5

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.	
Skin contact	Get medical attention if irritation develops and persists.	
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.	

Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. and precautions for firefighters

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Special protective equipment

equipment/instructions

the chemical

Fire fighting

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Mechanically pick up material and place in a proper container for disposal.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	

Precautions for safe handling Avoid prolonged exposure. Observe good industrial hygiene practices. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the Conditions for safe storage, including any incompatibilities SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

U.S USHA			
Components	Туре	Value	Form
Distillates Petroleum Hydrotreated Light (CAS 64742-47-8)	PEL	5 mg/m3	Oil mist
US. OSHA Table Z-1 Limits for A Components	ir Contaminants (29 CFR 1910.1 Type	000) Value	Form
Glycerin (CAS 56-81-5)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.

ACGIH Components	Туре	Value	Form
Distillates Petroleum Hydrotreated Light (CAS 64742-47-8)	TWA	5 mg/m3	Oil mist
US. Workplace Environme	ntal Exposure Level (WEEL) Guides		
Components	Туре	Value	Form
Propylene Glycol (CAS 57-55-6)	TWA	10 mg/m3	Aerosol.
Biological limit values	No biological exposure limits noted for the ir	ngredient(s).	
Appropriate engineering controls	Good general ventilation should be used. Ve applicable, use process enclosures, local ex maintain airborne levels below recommende established, maintain airborne levels to an a	khaust ventilation, or oth ed exposure limits. If exp	er engineering controls to
Individual protection measures	s, such as personal protective equipment		
Eye/face protection	Wear safety glasses with side shields (or go	oggles).	
Skin protection Hand protection	Wear appropriate chemical resistant gloves.		
Other	Wear suitable protective clothing.		
Respiratory protection	In case of insufficient ventilation, wear suita	ble respiratory equipme	nt.
Thermal hazards	Wear appropriate thermal protective clothing	g, when necessary.	
General hygiene considerations	Always observe good personal hygiene mea and before eating, drinking, and/or smoking equipment to remove contaminants.		

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Colorless-blue / white
Odor	Citrus
Odor threshold	Not available.
рН	6
Melting point/freezing point	Not available.
Initial boiling point and boiling range	212 °F (100 °C)
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	> 1
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Miscible.
Partition coefficient (n-octanol/water)	Not available.

Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Specific gravity	0.995
VOC	0 % per US State and Federal Consumer Product Regulations

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Not available.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Components Species Test Results 3:odo-2-propynyl-butylcarbamate (CAS 55406-53-6)	Acute toxicity	Not expected to be acutely toxic.	
AcuteDermalLD50Rabbit> 2000 mg/kgOralImage: Constraint of the second of t	Components	Species	Test Results
DermalLD50Rabit> 2000 mg/kgOral1.1 g/kgLD50Rat1.1 g/kgAcuteDermalLD50Rat> 2000 mg/kg, 24 HoursDermalLD50Rat> 100 mg/m3, 6 HoursVaporRat> 100 mg/m3, 6 HoursLC50Rabit-DermalVaporRat> 2000 mg/m3, 6 HoursDistillates> tertoleum Hydrotreated List 64742-47-80DermalLD50Rabit-Acute-Dermal-LD50Rabit-Inhalation-Vapor-LD50RabitLD50RabitInhalationVapor-LD50RabitLD50-InhalationVaporVaporVaporLD50RabitLD50RabitLD50RabitLD50Rabit <t< td=""><td>3-iodo-2-propynyl-butylcarba</td><td>amate (CAS 55406-53-6)</td><td></td></t<>	3-iodo-2-propynyl-butylcarba	amate (CAS 55406-53-6)	
LD50Rabbit> 2000 mg/kgOral LD50Rat1.1 g/kgAlcohols, C12-15, ethoxylated (CAS 6#131-39-5)Acute Dermal LD50Rat> 2000 mg/kg, 24 HoursInhalation Vapor LC50Rat> 2000 mg/kg, 24 HoursNapor LC50Rat> 100 mg/m3, 6 HoursDistillatesPetroleum Hydrotreated LGAS 64742-47-8)> 100 mg/m3, 6 HoursAcute Dermal LD50Rabbit> 2000 mg/kgDistillation Vapor LC50Rabbit> 2000 mg/kgDistillatesPetroleum Hydrotreated LGAS 64742-47-8)> 2000 mg/mg/mg/mg/mg/mg/mg/mg/mg/mg/mg/mg/mg/m	<u>Acute</u>		
OralInterviewLD50Rat1.1 g/kgAlcohols, C12-15, ethoxylated (CAS 68131-39-5)	Dermal		
LD50 Rat 1.1 g/kg Alcohols, C12-15, ethoxylated (CAS 68131-39-5) Acute Dermal LD50 Rat 2000 mg/kg, 24 Hours Inhalation Vapor LC50 Rat 2000 mg/m3, 6 Hours Distillates Petroleum Hydrotreated Light (CAS 64742-47-8) Acute Dermal LD50 Rabbit CAS 64742-47-8) Acute Dermal LD50 Rabbit - CAS 64742-47-8)	LD50	Rabbit	> 2000 mg/kg
Alcohols, C12-15, ethoxylated (CAS 68131-39-5) Acute Dermal > 2000 mg/kg, 24 Hours LD50 Rat > 2000 mg/kg, 24 Hours Inhalation > 2000 mg/kg, 24 Hours Vapor Rat > 100 mg/m3, 6 Hours Distillates Petroleum Hydrotreated Light (CAS 64742-47-8) > 100 mg/m3, 6 Hours Acute Permal Permal LD50 Rabit > 2000 mg/kg Name Permal Permal LD50 Rabit > 2000 mg/kg	Oral		
AcuteDermalLD50RatInhalationVaporLC50Rat2000 mg/m3, 6 HoursDistillates Petroleum Hydrotreated L/CAS 64742-47-8)AcuteDermalLD50RabbitAcuteDermalLD50RabbitPormalLD50Rabbit	LD50	Rat	1.1 g/kg
DermalLD50Rat> 2000 mg/kg, 24 HoursInhalation> 2000 mg/kg, 24 HoursVaporRato> 100 mg/m3, 6 HoursLC50Rato> 100 mg/m3, 6 HoursDistillates Petroleum Hydrotreated List (CAS 64742-47-8)> 100 mg/m3, 6 HoursDermalAcute> 2000 mg/kgLD50Rabit> 2000 mg/kgInhalation> 2000 mg/kgVaporYapor	Alcohols, C12-15, ethoxylate	ed (CAS 68131-39-5)	
LD50 Rat > 2000 mg/kg, 24 Hours Inhalation Vapor LC50 Rat > 100 mg/m3, 6 Hours Distillates Petroleum Hydrotreated Light (CAS 64742-47-8) > 100 mg/m3, 6 Hours Distillates Dermal Kabbit > 2000 mg/kg LD50 Rabbit > 2000 mg/kg Inhalation Yapor > 2000 mg/kg	<u>Acute</u>		
Inhalation Vapor VC50 Rat > 100 mg/m3, 6 Hours Distillates Petroleum Hydrotreated Light (CAS 64742-47-8) Acute Dermal D50 Rabbit > 2000 mg/kg Inhalation Vapor	Dermal		
Vapor Vapor LC50 Rat > 100 mg/m3, 6 Hours Distillates Petroleum Hydrotreated Light (CAS 64742-47-8) Acute Dermal LD50 Rabbit > 2000 mg/kg Inhalation Vapor	LD50	Rat	> 2000 mg/kg, 24 Hours
LC50Rat> 100 mg/m3, 6 HoursDistillates Petroleum Hydrotreated Light (CAS 64742-47-8)AcuteDermalDermalLD50RabbitInhalationVapor	Inhalation		
Distillates Petroleum Hydrotreated Light (CAS 64742-47-8) Acute Dermal LD50 Rabbit > 2000 mg/kg Inhalation Vapor	Vapor		
Acute Dermal LD50 Rabbit > 2000 mg/kg Inhalation Vapor	LC50	Rat	> 100 mg/m3, 6 Hours
Dermal LD50 Rabbit > 2000 mg/kg Inhalation Vapor	Distillates Petroleum Hydrot	reated Light (CAS 64742-47-8)	
LD50 Rabbit > 2000 mg/kg Inhalation Vapor	Acute		
Inhalation Vapor	Dermal		
Vapor	LD50	Rabbit	> 2000 mg/kg
	Inhalation		
LC50 Rat > 0.1 mg/l, 8 Hours	Vapor		
	LC50	Rat	> 0.1 mg/l, 8 Hours

Components	Species	Test Results
Oral		
LD50	Rat	> 5000 mg/kg
D-limonene (CAS 5989-27-5)		
<u>Acute</u>		
Oral	Det	> 2000 malka
LD50	Rat	> 2000 mg/kg
Glycerin (CAS 56-81-5)		
<u>Acute</u> Oral		
LD50	Rat	18000 mg/kg
Phenoxyethanol (CAS 122-99-6)		Toobo mg/kg
Acute		
Dermal		
LD50	Rabbit	> 2200 mg/kg, 24 Hours
Oral		2200 mg/ng, 21 hours
LD50	Rat	1400 mg/kg
Propylene Glycol (CAS 57-55-6)		
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg, 24 Hours
Oral		
LD50	Rat	22000 mg/kg
Sodium Dodecanol Sulfosuccinate		5 5
Acute		
Dermal		
LD50	Rabbit	> 10000 mg/kg, 24 Hours
Oral		
LD50	Rat	> 1300 mg/kg
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritati	on.
Serious eye damage/eye rritation	Direct contact with eyes may cause temporary irrita	
Respiratory or skin sensitization	1	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitiza	tion.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
		, -, , ,
•	Evaluation of Carcinogenicity	, , , , , , , , , , , , , , , , , , , ,
IARC Monographs. Overall E D-limonene (CAS 5989-2	U	to carcinogenicity to humans.
IARC Monographs. Overall E D-limonene (CAS 5989-2' OSHA Specifically Regulate Not listed. US. National Toxicology Pro	7-5) 3 Not classifiable as	
 IARC Monographs. Overall E D-limonene (CAS 5989-2' OSHA Specifically Regulated Not listed. US. National Toxicology Pro Not listed. 	7-5) 3 Not classifiable as d Substances (29 CFR 1910.1001-1053) ogram (NTP) Report on Carcinogens	to carcinogenicity to humans.
IARC Monographs. Overall E D-limonene (CAS 5989-2' OSHA Specifically Regulated Not listed. US. National Toxicology Pro Not listed. Reproductive toxicity Specific target organ toxicity -	7-5) 3 Not classifiable as d Substances (29 CFR 1910.1001-1053)	to carcinogenicity to humans.
IARC Monographs. Overall E D-limonene (CAS 5989-2' OSHA Specifically Regulated Not listed. US. National Toxicology Pro Not listed. Reproductive toxicity	7-5) 3 Not classifiable as d Substances (29 CFR 1910.1001-1053) ogram (NTP) Report on Carcinogens This product is not expected to cause reproductive of	to carcinogenicity to humans.
IARC Monographs. Overall E D-limonene (CAS 5989-2' OSHA Specifically Regulated Not listed. US. National Toxicology Pro Not listed. Reproductive toxicity Specific target organ toxicity - single exposure Specific target organ toxicity -	7-5) 3 Not classifiable as d Substances (29 CFR 1910.1001-1053) ogram (NTP) Report on Carcinogens This product is not expected to cause reproductive of Not classified.	to carcinogenicity to humans.

Further information

This product has no known adverse effect on human health.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
3-iodo-2-propynyl-butylcar	bamate (CAS 5	5406-53-6)	
Aquatic	Υ.		
Acute			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.05 - 0.089 mg/l, 96 hours
Alcohols, C12-15, ethoxyla	ated (CAS 6813	1-39-5)	
Aquatic			
Acute			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	0.37 - 0.43 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.96 - 1.4 mg/l, 96 hours
Distillates Petroleum Hydro	otreated Light (0	CAS 64742-47-8)	
Aquatic			
Acute			
Fish	LC50	Bluegill (Lepomis macrochirus)	2.2 mg/l, 4 days
D-limonene (CAS 5989-27	-5)		
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia pulex)	69.6 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	0.619 - 0.796 mg/l, 96 hours
Glycerin (CAS 56-81-5)			
Aquatic			
Acute			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	51000 - 57000 mg/l, 96 hours
Phenoxyethanol (CAS 122	-99-6)		
Aquatic			
Acute			
Fish	LC50	Fathead minnow (Pimephales promelas)	337 - 352 mg/l, 96 hours
Propylene Glycol (CAS 57-	-55-6)		
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	710 mg/l, 96 hours
Sodium Dodecanol Sulfosi	uccinate (CAS 5	577-11-7)	
Aquatic			
Acute			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	20 - 40 mg/l, 96 hours
sistence and degradabilit	y No data is	available on the degradability of any ingredier	nts in the mixture.
accumulative potential	-		
Partition coefficient n-oc D-limonene	tanol / water (I	og Kow) 4.57	
Glycerin		-1.76	
Phenoxyethanol Propylene Glycol		1.16 -0.92	
oility in soil	Not establ	Not established.	
er adverse effects	None know	wn.	

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
14. Transport information	

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and

the IBC Code

General information

This material is not regulated by any mode of transportation.

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

Glycerin (CAS 56-81-5)

(SDWA)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Other Flavoring Substances with OSHA PEL's

US state regulations

US. New Jersey Worker and Community Right-to-Know Act

3-iodo-2-propynyl-butylcarbamate (CAS 55406-53-6)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name On inve	entory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	03-05-2021
Version #	01
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Nu-Calgon cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.