STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL **PESTICIDE STORAGE -** Store in a dry place no lower in temperature than 50°F or higher than 120°F.

PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL - Nonrefillable container. Do not reuse or refill container. Clean container promptly after emptying.

Triple rinse as follows: Fill container 1/4 full with water. Tip container on its side and roll it back and forth, ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Repeat this procedure two more times. Offer for recycling or reconditioning if available. If not available, puncture and dispose in a sanitary landfill.

Container disposal for Refill Spray Bottle: Do not reuse empty spray bottle except with refill bottle, otherwise discard in trash. Do not reuse empty refill bottle. Wrap refill bottle and discard in trash. Offer for recycling or reconditioning if available.

EPA REG. NO. 1839-83-65516 • EPA EST. NO. 72026-IL-01



00681001416627

Distributed by: Nu-Calgon Wholesaler, Inc. 2611 Schuetz Rd St. Louis, MO 63043 Customer Service: 800-554-5499 Chemical Emergency: 800-424-9300 www.nucalgon.com (1122) Calgon is a licensed trade name.

.

.

.

.

.



.....

.....

10000

.....

Zaaa.

.... **EVAPORATOR COIL CLEANER & DISINFECTANT**

Kills SARS-CoV-2 on hard non-porous surfaces Kills the virus that causes common cold†† Kills H1N1 Influenza A Virus Kills 99.9% of germs* Ready-To-Use Disinfectant Spray *

ACTIVE INGREDIENTS	
n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)	
dimethyl benzyl ammonium chlorides0	.105%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl	
ethylbenzyl ammonium chlorides0	.105%
INERT INGREDIENTS99	.790%
TOTAL	.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panels for Additional Precautionary Statements and First Aid.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

KEEP OUT OF REACH OF CHILDREN. Causes moderate eve irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably by mouthto-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For quidance contact your State Water Board or Regional Office of the EPA.

COOLING COILS DISINFECTANT CLEANER: This product is a ready-to-use, nonabrasive disinfectant cleaner for small air conditioner, commercial air handling unit and HVAC cooling coils and refrigeration equipment evaporation coils. When using this product to disinfect and clean cooling coils and evaporation coils, disconnect power to the unit and allow hard non-porous surfaces to come to room temperature before applying product. Follow directions under DISINFECTION, DEODORIZING AND CLEANING section.

This product is a one-step*, 1 hospital-use germicidal disinfectant cleaner and deodorant designed for general cleaning, disinfecting, and controlling non-pathogenic mold and mildew on hard, nonporous inanimate surfaces. Quickly removes dirt, grime, non-pathogenic mold, mildew, food residue, blood and other organic matter commonly found in hospitals. It also eliminates odors leaving hard non-porous surfaces smelling clean and fresh. Use where odors are a problem For plastic and painted surfaces, spot test on an inconspicuous area before use. Evap-Fresh No Rinse eliminates 99.9%* of SARS-CoV-2 the Coronavirus that causes COVID-19 on hard non-porous surfaces in 60 seconds

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is not for use on critical or semi-critical medical device surfaces. Fill or refill the 32 ozs. Evap-Fresh No Rinse spray bottle with Evap-Fresh No Rinse refill. Pour product into spray bottle over sink or tub basin. DISINFECTION, DEODORIZING AND CLEANING: Remove visible soil prior to application of the product. Hold container six to eight inches from surface to be treated. Spray area until it is covered with the solution. Allow product to penetrate and the surface to remain wet for 3 minutes. No scrubbing is necessary. Wipe off with a clean cloth or allow to air dry. The product will not leave grit or soap scum. Using AOAC test methods, in the presence of 5% blood serum and a 3 minute contact time, unless otherwise noted, this product kills the following organisms on hard non-porous inanimate surfaces:

Bactericidal Activity: When used as directed, this product kills the following organisms on hard, non-porous inanimate surfaces: Escherichia coli (ATCC 11229), Pseudomonas aeruginosa (ATCC 15442), Salmonella (typhi) enterica (ATCC 6539), Streptococcus pyogenes, Listeria monocytogenes (ATCC 35152), Salmonella (choleraesuis) enterica (ATCC 10708), Yersinia enterocolitica (ATCC 23715), and Staphylococcus aureus (ATCC 6538), when the treated surface is allowed to remain visibly wet for 3 minutes.

Tuberculocidal Activity: This product exhibits disinfectant efficacy against Mycobacterium tuberculosis BCG at 20°C when the treated surface is allowed to remain wet for 3 minutes.

tVirucidal Activity: When used as directed, this product kills the following organisms on hard. non-porous inanimate surfaces: Human Coronavirus (ATCC VR-740), SARS associated Coronavirus, Avian Influenza A Virus strain H3N2 (ATCC VR-2072), and Avian Influenza A Virus strain H9N2, when the treated surface is allowed to remain visibly wet for 2 minutes. Rhinovirus type 39 (ATCC VR-340) and Rotavirus (ATCC VR-2018), when the treated surface is allowed to remain visibly wet for 3 minutes. Hepatitis A Virus (HAV), when the treated surface is allowed to remain visibly wet for 10 minutes. Kills H1N1 Influenza A Virus (formally called swine flu).

Mildewstat: To control non-pathogenic mold and mildew on pre-cleaned, hard, non-porous surfaces spray surface to be treated making sure to wet completely. Let air dry. Repeat application at weekly intervals or when mildew growth appears.

*When used according to disinfection directions. ††Rhinovirus.

Net Contents: 55 U.S. Gallons (208.18 Liters)

¹"One Step" claim is limited to association with non-food contact hard non-porous surface use.